

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S118	85	"713"/\$ and (home\$4 bluetooth power adj line \$4wired wireless) near4 device and (power\$3 battery) with (d3 cold d3-cold power) near (mode state) and (@ad<"20000218" @rlad<"20000218")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/29 12:10
S116	963	(home\$4 bluetooth power adj line \$4wired wireless) near4 device and (power\$3 battery) with (d3 cold d3-cold power) near (mode state) and (@ad<"20000218" @rlad<"20000218")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/29 12:10
S117	85	"713"/\$ and (home\$4 bluetooth power adj line \$4wired wireless) near4 device and (power\$3 battery) with (d3 cold d3-cold power) near (mode state) and (@ad<"20000218" @rlad<"20000218")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/29 12:11
S115	78	(home\$4 bluetooth power adj line \$4wired wireless) near4 device and (power\$3 battery) near (standby backup back-up auxiliary another other second secondary separate\$2 addition\$2) same (d3 cold d3-cold power) near (mode state) and (@ad<"20000218" @rlad<"20000218")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/29 12:11
S121	14	"713"/\$ and (home\$4 bluetooth) near4 device and (power\$3 battery) with (d3 cold d3-cold power) near (mode state) and (@ad<"20000218" @rlad<"20000218")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/29 12:12
S119	14	"713"/\$ and (home\$4 bluetooth power adj line \$4wired wireless) near4 device and (power\$3 battery) near (standby backup back-up auxiliary another other second secondary separate\$2 addition\$2) same (d3 cold d3-cold power) near (mode state) and (@ad<"20000218" @rlad<"20000218")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/29 12:12
S120	3	"713"/\$ and (home\$4 bluetooth) near4 device and (power\$3 battery) near (standby backup back-up auxiliary another other second secondary separate\$2 addition\$2) same (d3 cold d3-cold power) near (mode state) and (@ad<"20000218" @rlad<"20000218")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/29 12:13

S12 4	0	"713"/\$ and (home adj (pna plug) bluetooth) near4 device same (d3 cold d3-cold power) near (mode state) and (@ad<"20000218" @rlad<"20000218")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/29 12:14
S12 2	0	"713"/\$ and (home adj (pna plug) bluetooth) near4 device and (power\$3 battery) near (standby backup back-up auxiliary another other second secondary separate\$2 addition\$2) same (d3 cold d3-cold power) near (mode state) and (@ad<"20000218" @rlad<"20000218")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/29 12:14
S12 7	2	"713"/\$ and (home adj (pna plug) bluetooth) near4 device and (d3 cold d3-cold power) near (mode state) and (@ad<"20000218" @rlad<"20000218")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/29 12:15
S12 5	1	(home adj (pna plug) bluetooth) near4 device same (d3 cold d3-cold power) near (mode state) and (@ad<"20000218" @rlad<"20000218")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/29 12:15
S12 6	15	(home adj (pna plug) bluetooth) near4 device and (d3 cold d3-cold power) near (mode state) and (@ad<"20000218" @rlad<"20000218")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/29 12:17
S12 3	0	(home adj (pna plug) bluetooth) near4 device and (power\$3 battery) near (standby backup back-up auxiliary another other second secondary separate\$2 addition\$2) same (d3 cold d3-cold power) near (mode state) and (@ad<"20000218" @rlad<"20000218")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/29 12:18
S12 8	5	(home adj (pna plug) bluetooth) near4 device and (power\$3 battery) near (standby backup back-up auxiliary another other second secondary separate\$2 addition\$2) and (d3 cold d3-cold power) near (mode state) and (@ad<"20000218" @rlad<"20000218")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/29 12:20
S13 0	0	"713"/\$ and (home adj (pna plug) bluetooth) near4 device and (power\$3 battery) near2 (auxiliary another other second secondary separate\$2 addition\$2) and (d3 cold d3-cold power) near (mode state) and (@ad<"20000218" @rlad<"20000218")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/29 12:22

S13 5	0	"713"/\$ and (home adj (pna plug) bluetooth) and (power\$3 battery) near2 (auxiliary another other second secondary separate\$2 addition\$2) and (d3 cold d3-cold power) near (mode state) and (@ad<"20000218" @rlad<"20000218")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/29 12:23
S13 2	104	"370"/\$ and (wired wireless power adj line) near4 device and (power\$3 battery) near2 (auxiliary another other second secondary separate\$2 addition\$2) and (d3 cold d3-cold power) near (mode state) and (@ad<"20000218" @rlad<"20000218")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/29 12:23
S13 1	1	"370"/\$ and (home adj (pna plug) bluetooth) near4 device and (power\$3 battery) near2 (auxiliary another other second secondary separate\$2 addition\$2) and (d3 cold d3-cold power) near (mode state) and (@ad<"20000218" @rlad<"20000218")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/29 12:23
S12 9	3	(home adj (pna plug) bluetooth) near4 device and (power\$3 battery) near2 (auxiliary another other second secondary separate\$2 addition\$2) and (d3 cold d3-cold power) near (mode state) and (@ad<"20000218" @rlad<"20000218")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/29 12:23
S13 4	7	"370"/\$ and (home adj (pna plug) bluetooth) and (power\$3 battery) near2 (auxiliary another other second secondary separate\$2 addition\$2) and (d3 cold d3-cold power) near (mode state) and (@ad<"20000218" @rlad<"20000218")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/29 12:24
S13 3	14	(home adj (pna plug) bluetooth) and (power\$3 battery) near2 (auxiliary another other second secondary separate\$2 addition\$2) and (d3 cold d3-cold power) near (mode state) and (@ad<"20000218" @rlad<"20000218")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/29 12:29
S13 6	4	(home adj (pna plug) bluetooth) and (power\$3 battery) near2 (auxiliary another other second secondary separate\$2 addition\$2) same (d3 cold d3-cold power) near (mode state) and (@ad<"20000218" @rlad<"20000218")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/29 12:34

S13 9	82	(wired wireless power adj line) same (power\$3 battery) near2 (auxiliary another other second secondary separate\$2 addition\$2) same (d3 cold d3-cold power) near (mode state) and (@ad<"20000218" @rlad<"20000218")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/29 12:37
S13 7	508	(wired wireless power adj line) and (power\$3 battery) near2 (auxiliary another other second secondary separate\$2 addition\$2) same (d3 cold d3-cold power) near (mode state) and (@ad<"20000218" @rlad<"20000218")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/29 12:37
S13 8	12	(wired and wireless and power adj line) and (power\$3 battery) near2 (auxiliary another other second secondary separate\$2 addition\$2) same (d3 cold d3-cold power) near (mode state) and (@ad<"20000218" @rlad<"20000218")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/29 12:38
S14 0	2	(wired same wireless same power adj line) and (power\$3 battery) near2 (auxiliary another other second secondary separate\$2 addition\$2) same (d3 cold d3-cold power) near (mode state) and (@ad<"20000218" @rlad<"20000218")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/29 12:39
S14 1	18	(power\$3 battery) near2 (auxiliary another other second secondary separate\$2 addition\$2) same (d3 cold d3-cold) near (mode state) and (@ad<"20000218" @rlad<"20000218")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/29 12:40
S14 6	0	"709"/\$ and (home\$4 bluetooth wired wireless power adj line) and (power\$3 battery) near2 (auxiliary another other second secondary separate\$2 addition\$2) and (d3 cold d3-cold) near (mode state) and (@ad<"20000218" @rlad<"20000218")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/29 12:42
S14 5	3	"370"/\$ and (home\$4 bluetooth wired wireless power adj line) and (power\$3 battery) near2 (auxiliary another other second secondary separate\$2 addition\$2) and (d3 cold d3-cold) near (mode state) and (@ad<"20000218" @rlad<"20000218")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/29 12:42

S14 3	50	(home\$4 bluetooth wired wireless power adj line) and (power\$3 battery near2 (auxiliary another other second secondary separate\$2 addition\$2) and (d3 cold d3-cold) near (mode state) and (@ad<"20000218" @rlad<"20000218"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/29 12:42
S14 2	3	(home\$4 bluetooth wired wireless power adj line) and (power\$3 battery near2 (auxiliary another other second secondary separate\$2 addition\$2) same (d3 cold d3-cold) near (mode state) and (@ad<"20000218" @rlad<"20000218"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/29 12:42
S14 8	0	"709"/\$ and (home\$4 bluetooth wired wireless power adj line) with device and (power\$3 battery) near2 (auxiliary another other second secondary separate\$2 addition\$2) and (d3 cold d3-cold) near (mode state) and (@ad<"20000218" @rlad<"20000218"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/29 12:45
S14 7	2	"713"/\$ and (home\$4 bluetooth wired wireless power adj line) with device and (power\$3 battery) near2 (auxiliary another other second secondary separate\$2 addition\$2) and (d3 cold d3-cold) near (mode state) and (@ad<"20000218" @rlad<"20000218"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/29 12:45
S14 4	10	"713"/\$ and (home\$4 bluetooth wired wireless power adj line) and (power\$3 battery) near2 (auxiliary another other second secondary separate\$2 addition\$2) and (d3 cold d3-cold) near (mode state) and (@ad<"20000218" @rlad<"20000218"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/29 12:45
S15 1	74	709/250 and (@ad<"20000218" @rlad<"20000218") and @pd>"20040701"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/29 12:50
S15 0	14	(home\$4 bluetooth wired wireless power adj line) with device and (power\$3 battery) near2 (auxiliary another other second secondary separate\$2 addition\$2) and (d3 cold d3-cold) near (mode state) and (@ad<"20000218" @rlad<"20000218"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/29 12:50

S15 2	31	709/250 and power and (@ad<"20000218" @rlad<"20000218") and @pd>"20040701"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/29 12:51
S15 4	21	713/300 and power near2 (mode state) and (@ad<"20000218" @rlad<"20000218") and @pd>"20040701"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/29 12:52
S15 3	4	709/250 and power near2 (mode state) and (@ad<"20000218" @rlad<"20000218") and @pd>"20040701"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/29 12:52
S15 8	0	713/323 and (power\$3 battery) near2 (auxiliary another other second secondary separate\$2 addition\$2) and (d3 cold d3-cold) near (mode state) and (@ad<"20000218" @rlad<"20000218") and @pd>"20040701"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/29 12:55
S15 6	0	713/300 and (power\$3 battery) near2 (auxiliary another other second secondary separate\$2 addition\$2) and (d3 cold d3-cold) near (mode state) and (@ad<"20000218" @rlad<"20000218") and @pd>"20040701"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/29 12:55
S15 5	0	709/250 and (power\$3 battery) near2 (auxiliary another other second secondary separate\$2 addition\$2) and (d3 cold d3-cold) near (mode state) and (@ad<"20000218" @rlad<"20000218") and @pd>"20040701"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/29 12:55
S14 9	0	"370"/\$ and (home\$4 bluetooth wired wireless power adj line) with device and (power\$3 battery) near2 (auxiliary another other second secondary separate\$2 addition\$2) and (d3 cold d3-cold) near (mode state) and (@ad<"20000218" @rlad<"20000218")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/29 12:55
S15 9	0	713/324 and (power\$3 battery) near2 (auxiliary another other second secondary separate\$2 addition\$2) and (d3 cold d3-cold) near (mode state) and (@ad<"20000218" @rlad<"20000218") and @pd>"20040701"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/29 12:56

S15 7	1	713/320 and (power\$3 battery) near2 (auxiliary another other second secondary separate\$2 addition\$2) and (d3 cold d3-cold) near (mode state) and (@ad<"20000218" @rlad<"20000218") and @pd>"20040701"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/29 12:56
S16 1	0	"709"/\$ and (power\$3 battery) near2 (auxiliary another other second secondary separate\$2 addition\$2) and (d3 cold d3-cold) near (mode state) and (@ad<"20000218" @rlad<"20000218") and @pd>"20040701"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/29 12:57
S16 0	1	"713"/\$ and (power\$3 battery) near2 (auxiliary another other second secondary separate\$2 addition\$2) and (d3 cold d3-cold) near (mode state) and (@ad<"20000218" @rlad<"20000218") and @pd>"20040701"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/29 12:57
S16 2	25	"713"/\$ and (power\$3 battery) near2 (auxiliary another other second secondary separate\$2 addition\$2) and power near (mode state) and (@ad<"20000218" @rlad<"20000218") and @pd>"20040701"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/29 12:58
S16 4	2	"709"/\$ and (power\$3 battery) near (auxiliary another other second secondary separate\$2 addition\$2) and power near (mode state) and (@ad<"20000218" @rlad<"20000218") and @pd>"20040701"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/29 12:59
S16 3	2	"709"/\$ and (power\$3 battery) near2 (auxiliary another other second secondary separate\$2 addition\$2) and power near (mode state) and (@ad<"20000218" @rlad<"20000218") and @pd>"20040701"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/29 12:59
S16 5	11	"713"/\$ and (power\$3 battery) near (auxiliary another other second secondary separate\$2 addition\$2) and power near (mode state) and (@ad<"20000218" @rlad<"20000218") and @pd>"20040701"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/29 13:01

S16 6	18	(power\$3 battery) near (auxiliary another other second secondary separate\$2 addition\$2) same power near (mode state) and (@ad<"20000218" @rlad<"20000218") and @pd>"20040701"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/29 13:05
S17 0	39	713/323 and (power\$3 near (source supply) battery) near (auxiliary another other second secondary separate\$2 addition\$2) same power near (mode state) and (@ad<"20000218" @rlad<"20000218")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/29 13:10
S16 9	29	713/320 and (power\$3 near (source supply) battery) near (auxiliary another other second secondary separate\$2 addition\$2) same power near (mode state) and (@ad<"20000218" @rlad<"20000218")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/29 13:10
S16 8	42	713/300 and (power\$3 near (source supply) battery) near (auxiliary another other second secondary separate\$2 addition\$2) same power near (mode state) and (@ad<"20000218" @rlad<"20000218")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/29 13:10
S16 7	11	(power\$3 near (source supply) battery) near (auxiliary another other second secondary separate\$2 addition\$2) same power near (mode state) and (@ad<"20000218" @rlad<"20000218") and @pd>"20040701"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/29 13:10
S17 3	10	"370"/\$ and (power\$3 near (source supply) battery) near (auxiliary another other second secondary separate\$2 addition\$2) same power near (mode state) and (@ad<"20000218" @rlad<"20000218")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/29 13:14
S17 2	2	709/250 and (power\$3 near (source supply) battery) near (auxiliary another other second secondary separate\$2 addition\$2) same power near (mode state) and (@ad<"20000218" @rlad<"20000218")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/29 13:14

S17 1	19	713/324 and (power\$3 near (source supply) battery) near (auxiliary another other second secondary separate\$2 addition\$2) same power near (mode state) and (@ad<"20000218" @rlad<"20000218")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/29 13:16
S17 4	5	713/324 and (home\$4 bluetooth wired wireless power adj line) and (power\$3 near (source supply) battery) near (auxiliary another other second secondary separate\$2 addition\$2) same power near (mode state) and (@ad<"20000218" @rlad<"20000218")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/29 13:22
S17 9	0	709/250 and (home\$4 bluetooth wired wireless power adj line) and (power\$3 near (source supply) battery) near (auxiliary another other second secondary separate\$2 addition\$2) same power near (mode state) and (@ad<"20000218" @rlad<"20000218")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/29 13:28
S17 5	16	713/323 and (home\$4 bluetooth wired wireless power adj line) and (power\$3 near (source supply) battery) near (auxiliary another other second secondary separate\$2 addition\$2) same power near (mode state) and (@ad<"20000218" @rlad<"20000218")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/29 13:28
S17 6	11	713/320 and (home\$4 bluetooth wired wireless power adj line) and (power\$3 near (source supply) battery) near (auxiliary another other second secondary separate\$2 addition\$2) same power near (mode state) and (@ad<"20000218" @rlad<"20000218")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/29 13:31
S17 7	17	713/300 and (home\$4 bluetooth wired wireless power adj line) and (power\$3 near (source supply) battery) near (auxiliary another other second secondary separate\$2 addition\$2) same power near (mode state) and (@ad<"20000218" @rlad<"20000218")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/29 13:33

S17 8	41	"713"/\$ and (home\$4 bluetooth wired wireless power adj line) and (power\$3 near (source supply) battery) near (auxiliary another other second secondary separate\$2 addition\$2) same power near (mode state) and (@ad<"20000218" @rlad<"20000218")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/29 13:35
S18 0	4	"709"/\$ and (home\$4 bluetooth wired wireless power adj line) and (power\$3 near (source supply) battery) near (auxiliary another other second secondary separate\$2 addition\$2) same power near (mode state) and (@ad<"20000218" @rlad<"20000218")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/29 13:36
S18 1	4	"370"/\$ and (home\$4 bluetooth wired wireless power adj line) and (power\$3 near (source supply) battery) near (auxiliary another other second secondary separate\$2 addition\$2) same power near (mode state) and (@ad<"20000218" @rlad<"20000218")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/29 15:22
S18 4	0	713/324 and (home\$4 bluetooth wired wireless power adj line) and (power\$3 near2 (source supply) battery) near2 (auxiliary another other second secondary separate\$2 addition\$2) same link same power near (mode state) and (@ad<"20000218" @rlad<"20000218")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/30 10:39
S18 2	5	455/574 and (home\$4 bluetooth wired wireless power adj line) and (power\$3 near (source supply) battery) near (auxiliary another other second secondary separate\$2 addition\$2) same power near (mode state) and (@ad<"20000218" @rlad<"20000218")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/30 10:39
S18 3	1	(home\$4 bluetooth wired wireless power adj line) and (power\$3 near (source supply) battery) near (auxiliary another other second secondary separate\$2 addition\$2) same link same power near (mode state) and (@ad<"20000218" @rlad<"20000218")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/30 10:42

S18 6	7	(power\$3 near (source supply) battery) near (auxiliary another other second secondary separate\$2 addition\$2) same (link integrity) same power near (mode state) and (@ad<"20000218" @rlad<"20000218")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/30 10:55
S18 5	3	(power\$3 near (source supply) battery) near (auxiliary another other second secondary separate\$2 addition\$2) same link same power near (mode state) and (@ad<"20000218" @rlad<"20000218")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/30 10:55